



POWER TOOLS

Product Guide



iqpowertools.com
#warondust



Innovation. *It's who we are.*

iQ Power Tools was founded by third generation masons Joel and Paul Guth. They owned and operated successful masonry companies for over 30 years, at times with over 100 employees.

Decades of experience taught them about dust problems. It makes a huge mess, it costs a great deal of money, and it's a threat to the health and safety of our industry. They started out building tools to solve their own dust problems, but soon realized these problems were affecting all contractors, so iQ Power Tools was established.

iQ was built upon the premise of developing solutions for problems affecting the masonry industry and, by extension, the construction industry as a whole.

Today, iQ Power Tools manufactures a full line of tools with integrated dust collection systems for masonry, hardscape, and tile. The innovation continues with a focus on the health and safety of construction workers in all trades. Educating the industry on the dangers of silica is an important part of iQ's focus. iQ Power Tools' mission is to build tools that save lives. With the new OSHA Silica Standard in effect, iQ is working harder than ever to educate and inform the construction industry and encourage everyone to take action.

iQ Power Tools

Catalog Index



iQ426HEPA® | 6



iQ228CYCLONE® | 10



iQTS244® | 12



iQMS362i® | 16



iQ360XT® | 18



iQ2000® Systems | 19



iQ Blades | 22



Silica | 28



iQ Service & Warranty | 25



TILE

Changing the industry one innovative tool at a time.



” Having my saw in the same room as the job is incredible. So much better and efficient!”

- Peter JCPL

iQ228CYCLONE

7" DRY CUT TABLETOP TILE SAW

Introducing the iQ228CYCLONE™, the 7" dry cut tabletop tile saw with integrated dust control and new Tru-Cut™ System. Designed for professional contractors to eliminate the problems with cutting wet, save time, and increase your profitability on tile jobs.

TRUCUT

The Tru-Cut™ System is an integrated measurement system that provides consistent and accurate cuts for any job.

Tru-Cut™ System includes:


- Fence
- iQ Micro Fence
- Pre-measured Rolling Table

NEXT LEVEL ACCURACY

The iQ Micro Fence allows you to dial in the exact measurement for your cut. Lock it into the table and adjust the fence to the precise cut you need.




See it in action!



VERSATILE CUTTING

Cut 18" rip cuts with the rolling table and TRU-CUT™ system. Lock the table in place to cut 24"+ planks.

- 18-24" length • 1.25" depth



POWERFUL VAC & SAW MOTOR

This powerful motor will keep you cutting with full vacuum suction all day long - all while collecting 99.5% of dust.

- 15 amps/ 120 volt motor



CONSTRUCTION-GRADE TOUGHNESS

Built for the demands of everyday construction and a heavy workload, yet easy to maintain and will last for years.

- 1-year limited warranty

Changing the industry one innovative tool at a time.



Reduce chipping with our Q-Drive blades with Cool Cut Technology.

Clean and accurate cuts while keeping your material dry and your blade cool.



AWARD-WINNING INNOVATION

ProTool Review's award winner for 2020's most innovative tile saw. iQ is changing the game one tool at a time.



iQ228CYCLONE MITER ATTACHMENT ACCESSORY

Make miter bevel cuts for ceramic and stone tile up to 18" long and 3/8" thick. Simply lock the miter attachment accessory onto the rolling table for accurate bevel miter cuts.

- 22.5° and 45° miter bevel cuts



iQTS244

THE WORLD'S FIRST & ONLY DRY-CUT TILE SAW WITH INTEGRATED DUST CONTROL

The iQTS244® is a 10" dry cut tile saw for professional contractors, designed to eliminate problems with cutting wet. It will save time and increase your profitability on your tile jobs.

With fully-integrated dust collection technology, this innovative tool allows you to cut tile inside or outside with no water and no dust.

SPECS

- 24" rip cuts
- 18" diagonal cuts
- OSHA Compliant

VOLTAGE	120V
TOTAL SYSTEM AMPERAGE	17amps
SAW MOTOR AMPERAGE	1.5hp/12amps
VAC MOTOR AMPERAGE	.8hp/5amps
SAW WEIGHT	93 lbs
BLADE SIZE	Q-Drive 10" Blade
FILTER TYPE	iQ Dura Bond
CUTTING DEPTH	Cartridge 1"
DUST CAPACITY	11 lbs or over 500 L.F
SAW DIMENSIONS	27"W x 28"H x 34"L



Cut tile **DRY** inside or outside.



PERFORMANCE

Cut clean, efficient and precise, with no water, no slurry and virtually no heat—even with hard materials.



JOB VERSATILITY

With a 10" blade, full-width table and 24" cut capacity, the iQTS244® can handle even the trickiest and most technical tile jobs.



PORTABILITY

Built on wheels with a detachable stand, the iQTS244® is easy to transport and set up in small spaces with no water source required.

Changing the industry one innovative tool at a time.



EXTENSION TABLE

- Cut large-format, ceramic tile of 1200mm or more
- Heavy duty durable PVC board with smooth cutting surface
- Synchronized measurement scale on each end of table for easy set up and accurate cuts
- Makes the IQTS244 dry cutting tile saw more versatile



MITER ATTACHMENT

- 600mm miter cut length capacity
- Miter up to 19mm materials
- 22.5° and 45° miter bevel cuts
- IQ quick clamps facilitate easy setup



VAC PORT HOSE KIT

- Easily convert your IQTS244 into a vacuum
- Durable, construction-grade hose and nozzles made to endure years of job site use
- Keeps your work area neat & clean
- Convenient, eliminates the need for a separate vacuum in your workspace



TIME SAVING

Saves one hour per day or more in costly setup & cleanup time while keeping the operator dry.



CYCLONIC FILTRATION

Captures heavy debris, fine particles, and superfine particles. This allows for up to 99.5% dust capture from the cut.



DUST CONTAINMENT

Built with an integrated dust collection chamber that holds 11 pounds of dust.

iQMS362i

THE WORLD'S FIRST 16.5" DRY-CUT MASONRY SAW WITH INTEGRATED DUST CONTROL

iQMS362 is the next game changer for the construction industry. Its unmatched speed and accuracy, versatility in material cutting, portability, power management, and dust collection make the iQMS362 16.5" dry-cut masonry saw with integrated dust control the ONLY choice for masonry and hardscape professionals.

This is **NOT** your Grandfather's masonry saw.

SPECS

- Tested to Capture 99.5% of the Dust
- Compact & Lightweight—Easy to Transport

VOLTAGE	120v
TOTAL SYSTEM AMPERAGE	20amps
SAW MOTOR AMPERAGE	15amps
VAC MOTOR AMPERAGE	5amps
SAW WEIGHT	65lbs
BLADE SIZE	16.5" Blade
FILTER TYPE	iQ Dura Bond
CUTTING DEPTH	Cartridge 4.5"H x 12"L
EFFECTIVE DUST	50 LBS
CAPACITY SAW	17"W x 30"L x 20"H
DIMENSIONS	RECOMMENDED, NOT INCLUDED
EXTENSION	25ft/12gauge or 50ft/10gauge
CORD	4500watt
GENERATOR	



PERFORMANCE

Q-Drive Blade allows the iQMS362 to cut up to 40% faster than any competitor in its class. Speed, accuracy, and the ability to cut a wide range of masonry materials.



iQ POWER MANAGEMENT

Soft-start technology controls the input power ramp up for a smooth, uninterrupted operation. Overload Warning LED Indicator light signals feed pressure to use during operation.



MOBILITY

High-flotation tires allow one person to easily move over rough jobsite terrain making it ideal for any location, readily available power.

Changing the industry one innovative tool at a time.



DUST BLOCKERS

- 600mm miter cut length capacity
- Miter up to 19mm materials
- 22.5° and 45° miter bevel cuts
- iQ quick clamps facilitate easy setup



SAW COVER

- Orange vinyl saw cover for the iQMS362 or iQTS244
- Includes grommets along the edges to easily secure saw with zip ties or bungee cords (Zip ties/bungee cords not included)
- Keeps your saw clean and protected from water during storage



VACUUM SYSTEM

Dust is captured within the blade guard, rear dust guard, and downdraft louvered table via a high-powered, integrated vacuum system



CYCLONIC FILTRATION

Captures heavy debris, fine particles, and superfine particles. This allows for up to 99.5% dust capture from the cut.



DUST CONTAINMENT

Built with an integrated dust collection chamber that holds 40 pounds of dust.

iQ252

**WORLD'S 1ST DRY CUT RAIL SAW
WITH INTEGRATED DUST CONTROL**

NO WATER. NO MESS. NO PROBLEM.

The iQ 252 is a 10"/254 mm dry cut rail saw for professional contractors, designed to eliminate problems with cutting wet, save time, and increases your profitability on tile jobs.

With fully integrated dust collection technology, this innovative tool allows you to cut tile inside or outside with no water and no dust.

SPECS

- 52" rip cuts • 36" diagonal cuts •
- OSHA Compliant

VOLTAGE	120V
TOTAL SYSTEM AMPERAGE	17amps
SAW MOTOR AMPERAGE	1.5hp/12amps
VAC MOTOR AMPERAGE	.8hp/5amps
SAW WEIGHT	175 lbs
BLADE SIZE	Q-Drive 10"Blade
FILTER TYPE	iQ Dura Bond
CUTTING DEPTH	Cartridge 1"
DUST CAPACITY	11 lbs or over 500 L.F
SAW DIMENSIONS	24"W x 47"H x 68"L



**AWARDED
SURFACE EXPO**

**"BEST OF"
INNOVATION
AWARD 2023**



Cut tile **DRY** inside or outside.



PERFORMANCE

Cut clean, efficient and precise, with no water, no slurry and virtually no heat—even with hard materials.



JOB VERSATILITY

With a 10" blade, full-width table and 52" cut capacity, the iQ252® can handle even the trickiest and most technical tile jobs.



PORTABILITY

Built on wheels with a large stand, the iQ252® is easy to transport and set up in small spaces with no water source required.

Changing the industry one innovative tool at a time.



VACUUM SYSTEM

- High output vacuum
- Saw automatically starts vacuum
- Cyclone technology tested to capture over 99.5% of dust
- Vacuum slot follows your cut



FILTER SYSTEM

- 3 stage filtration
- Quick spin filter for easy cleaning
- IQ Dura Bond filter



DUST CONTAINMENT

- Empty dust tray once a day
- Easy cleanup
- Collect up to 99.5% of dust created



PORTABILITY LIKE NO OTHER SAW

- Set up and ready to cut in 30 seconds
- Easy to break down and transport
- No water required
- Store vertically for space savings



INCREDIBLE PERFORMANCE

- 52 inch rip cut capacity
- 1 inch depth of cut
- 0° to 45° bevel cutting
- Capable to make plunge cuts and score cuts with effective dust capture
- Cut large-format stone or tile
- Heavy duty 1.5 hp saw motor for precise smooth cutting



TIME SAVING

Saves one hour per day or more in costly setup & cleanup time while keeping the operator dry.



SUCTION THAT TRAVELS

Captures heavy debris, fine particles, and superfine particles. This allows for up to 99.5% dust capture from the cut.



DUST CONTAINMENT

Built with an integrated dust collection chamber that holds 11 pounds of dust.

iQ1550

**DRY CUT WITHOUT THE DUST
NO WATER. NO MESS. NO PROBLEM.**

Introducing the iQ1550™, 21.5" Dry cut masonry saw with integrated dust control. Designed for professional contractors to eliminate the problems with cutting wet. This saw saves you time and increases your profitability while maintaining a safe, dust-free work environment.


SPECS

- Powerful 230v Super Duty 4000 Watt Saw Motor & 3000 Watt Vac Motor
- Cutting capacity of traditional 20" masonry saws
- Auto Spin, Durabond Filter

VOLTAGE	320V
TOTAL SYSTEM WATTS	7000 W
SAW MOTOR WATTS	4000 W
VAC MOTOR WATTS	3000 W
SAW WEIGHT	380 LBS
BLADE SIZE	Q-Drive 21.5" Blade
FILTER TYPE	iQ Dura Bond Cartridge
CUTTING CAPACITY	8" HEIGHT X 16" LENGTH
EFFECTIVE DUST CAPACITY	75 LBS
SAW DIMENSIONS	32" W X 67" H X 51" L



Cut tile **DRY inside or outside.**



PERFORMANCE

Cut clean, efficient and precise, with no water, no slurry and virtually no heat—even with hard materials.



JOB VERSATILITY

With a 10" blade, full-width table and 24" cut capacity, the iQ1550® can handle even the trickiest and most technical tile jobs.



PORTABILITY

Built on wheels with a large stand, the iQ1550® is easy to transport and set up in small spaces with no water source required.

Changing the industry one innovative tool at a time.



VACUUM SYSTEM

- High output vacuum
- Saw automatically starts vacuum



AUTOMATIC FILTER

- 3 stage filtration
- Quick spin filter for easy cleaning



DUST CONTAINMENT

- Empty dust tray once a day
- Easy cleanup
- Collect up to 99.5% of dust created



PORTABILITY LIKE NO OTHER SAW

- Easy to break down and transport
- No water required
- Heavy duty wheels
- Two carrying points (Forklift + Crane)



ENHANCED PERFORMANCE

- 8 inch depth of cut
- Capable to make plunge cuts and score cuts with effective dust capture
- Cut large-format stone
- Heavy duty 4000 watt saw motor for precise smooth cutting



HEAVY DUTY, YET NIMBLE

Once the IQ 1550 has been placed into the job site, feel free to pivot and roll the saw into the exact location needed with its sturdy frame and hefty wheels.



COMMERCIAL GRADE

The IQ1550 is a commercial grade tool with two key portability points. Steel pallet fork points in the base and hoist point up top for crane transport.



HELP MINIMIZE SILICA

The best way to avoid Silica is to eliminate it. IQ Power can help by reducing 99% of silica dust created. Protect your health, and the health of your employees today.



MASONRY & HARDSCAPE

Changing the industry one innovative tool at a time.



” This thing is amazing! We have cut 5” thick slabs of stone with virtually no dust at all. ”

- LMent Stone Ltd

iQ360XT

THE WORLD'S FIRST 14" DRY-CUT MASONRY SAW WITH INTEGRATED DUST CONTROL

The iQ360XT® is tough, built for professionals and designed to last. With basic maintenance – like changing the filter annually – your iQ360XT® will last for years.

SPECS

- Tested to Capture 99.5% of the Dust
- Compact & Lightweight—Easy to Transport

VOLTAGE	120v
TOTAL SYSTEM AMPERAGE	20amps
SAW MOTOR AMPERAGE	15amps
VAC MOTOR AMPERAGE	5amps
SAW WEIGHT	65lbs
BLADE SIZE	14" Blade
FILTER TYPE	iQ Dura Bond
CUTTING DEPTH	Cartridge 4.5"H x 12"L
EFFECTIVE DUST	50 LBS
CAPACITY SAW	17"W x 30"L x 20"H
DIMENSIONS	RECOMMENDED, NOT INCLUDED
EXTENSION	25ft/12guage or 50ft/10gauge
CORD	4500watt

GENERATOR



VERSATILITY

Work low on your knees or up high on a scaffold. The iQ360XR is as flexible as your jobsite.



iQ POWER MANAGEMENT

Operates using a standard 120v and 20 amps. Soft-start technology controls the input power ramp up for a smooth, uninterrupted operation.



PERFORMANCE

Speed, accuracy, and the ability to cut a wide range of masonry and hardscape materials.

Changing the industry one innovative tool at a time.

INDUSTRIAL DUST CONTROL

iQ2000[®]

HEAVY DUTY DUST COLLECTION SYSTEM FOR 20" & 24" MASONRY SAWS

Imagine a jobsite with no slurry and no stained finished product. With the iQ Power Tools' iQ2000[®] system you can cut inside or outside with ease. It's powerful vacuum and easy clean filter allows you to focus on your work and not the dust. Our systems meet all state and federal OSHA regulations including the US Army Corps of Engineers EM385.

SPECS

- Durable design for industrial application
- Powerful Vacuum with easy-clean filter system
- Fits most conventional 20" & 24" masonry saws

SPECS	iQ2003 SiQ2005	iQ2007 T	iQ2013 G
VOLTAGE	220v 220v	480v	Gas Honda GXV390
AMPERAGE	Single PhaseSingle Phase	Three Phase	GXV390
MOTOR POWER	15 amps19 amps	9.2 amps	N/A
POWER CABLE	3 hp5 hp	7.5 hp	13 hp elec. start
FAN WHEEL	10 ft10 ft	10 ft	N/A
WEIGHT	13 1/25" x 2 1/2"15" x 3 7/8"	15" x 4 7/8"	15" x 5"
DIMENSIONS	400 lbs430 lbs	430 lbs	430 lbs
HOSE INLET	35" x 44" x 64"		
DIAMETER			
MAX AIR FLOW	1 qty @ 4" & 2 qty @ 6"		
MAX STATIC	1700 CFM2500 CFM	4000 CFM	4000 CFM
PRESSURE	8" H		
FILTER AREA	20		
DUST	144 sq ft Polyester		
CAPACITY	1.5 cu ft		



iQ HEPA CAP

Provides additional HEPA level filtration
Optional Accessory



iQ SMART TABLE

Patented table collects dust as you cut
Optional Accessory



iQ HOSE MINDER

Protects hoses and helps the table move freely
Optional Accessory



BLADES

Changing the industry one innovative tool at a time.



**”14 months for
a blade being
used nonstop is
exceptional!”**

- Tile By Christopher



iQ DIAMOND BLADES

For over three decades, we've been in the industry with you. In those years, we have been continuously improving, evolving, and innovating to provide you with the best tools in the industry.

PUTTING THE "Q" IN QUALITY

Our innovation doesn't stop at saws. Through years of experience and testing, we have perfected our proprietary blades with the perfect ratio of high diamond to metal powder concentration. iQ Diamond Tools exceed the demands of the professional contractor. Optimized for rigorous work environments and designed with unparalleled durability, iQ Diamond Tools Q-Drive® Diamond Blades get the job done - cutting materials from hard ceramic tiles to highly abrasive bricks and blocks with speed, ease, and precision.

When you see the "Q" seal of quality, you can be sure that it is backed by over three decades of industry experience and quality craftsmanship.

Q-DRIVE® BLADE TECHNOLOGY

The primary purpose of a saw is - can it cut quickly and efficiently? Of course, the most critical component of cutting is the blade. If the blade isn't good quality, then you will have a bad experience, poor cuts, and excessive load on your saw motor which will lead to over-heating and damage.


In order to create the best user experience possible and eliminate potential motor damage, we design and extensively test high quality blades to work with each iQ saw and material application to create a fully integrated system.

Our Q-Drive® blades are built with Cool Cut Technology. This technology, combined with the built-in vacuum on iQ saws, keep the blade cool while cutting. The vacuum system also removes the cutting debris so the blade is not regrinding the same material, reducing friction and heat. Some other features in a Q-Drive blade include:




COOL CUT TECHNOLOGY

Cool Cut Technology is our proprietary composition of diamond concentration, metal type, and flange thickness that cuts cool while reducing vibration and movement.



DIAMOND PATTERNS

Diamond blades use diamond crystals mixed into the blade segment to maximize precision cutting. Our blades include either a arrayed or random diamond patterns to help achieve the optimal grind rate for a material.



SILENT CORE TECHNOLOGY

Most diamond blades produce high pitch ringing noise while cutting. iQ Power Tools has developed a silent core technology, that allows blades to cut 50% quieter. Silent Core Technology is available on select blades.

Changing the industry one innovative tool at a time.



Q-DRIVE® MASONRY BLADES



16.5" | MASQX420-3-QD-KP
Segmented Combo Blade
Concrete, Brick,
Block, and Pavers
SAW: IQMS3621
SPECS: 16.5"



16.5" | MASQX420-3-QD-HM1
Segmented Hard Brick Blade
Hard Brick and Pavers
SAW: IQMS3621
SPECS: 16.5"



16.5" | MASQX420-3-QD-HM2
Segmented Hard Concrete Blade
Hard Concrete and Pavers
SAW: IQMS3621
SPECS: 16.5"



420mm | PRCX414-2.40-QD-HM
Segmented Porcelain and Stone Blade
Porcelain, Stone,
and Granite
SAW: IQMS3621
SPECS: 16.5"



16.5" | MASQX16-125-QD-HM3
Segmented Super Hard Material Blade
Extra hard Concrete, Stone,
Granite, Brick, Pavers
SAW: IQMS3621
SPECS: 16.5"



16.5" | MASX16-118-QD-MX
Segmented Super Abrasive Material Blade
Extremely Hard Materials with
Abrasive Aggregates
SAW: IQMS3621
SPECS: 16.5"

Q-DRIVE® TILE BLADES



10" | TLD10-060P-QD-COMBO
Combination Blade
Marble, Porcelain, Granite,
Stone, and Ceramic
SAW: IQTS244
SPECS: 10"



10" | TLD10-060P-QD-HARDMAT
Hard Material Blade
Porcelain, Granite, and
other harder materials
SAW: IQTS244
SPECS: 10"



10" | TLD10-060P-QD-MB1
Soft Material Blade
Marble, Stone, and
other softer materials
SAW: IQTS244
SPECS: 254mm



7" | TLD07-005P-QD-Combo
Combination Blade
Marble, Porcelain, Granite,
Stone, and Ceramic
SAW: IQ228CYCLONE
SPECS: 7"



7" | TLD07-005P-QD-HM1
Hard Material Blade
Porcelain, Granite, and
other harder materials
SAW: IQ228CYCLONE
SPECS: 7"

iQ PREMIUM MASONRY BLADES



14" | MAS14-125AG
Gold Laser Welded Blade
Concrete, Brick,
Block, and
Pavers
SAW: IQ360XT
SPECS:



14" | MAS14-125AP
Platinum Blade
Concrete, Brick,
Block, and
Pavers
SAW: IQ360XT
SPECS:



14" | MAS14-125AP-QT
Platinum Silent Core Blade
Concrete, Brick,
Block, and
Pavers
SAW: IQ360XT
SPECS:



DRESSING STONES

Dressing the blade is essential to maintaining the life of a diamond blade. A dressing stone is solid block made from a mix of extremely hard abrasives.



DUST EXTRACTION



“ Unlike any vacuum I have ever seen before! ”

- Mark Moskwa,
Top Notch Tools

iQ426HEPA®

CYCLONIC DUST EXTRACTOR WITH HEPA FILTRATION

From drywall dust to saw dust, the iQ426HEPA is designed to be the most versatile dust extractor on the market today.

The iQ426HEPA separates itself from the competition with its 4 stage filtration system and unmatched, Super Duty Performance! Engineered with advanced cyclonic technology, less than 1% of the dust ever reaches the filter meaning vacuum and airflow stay strong.

The iQ426HEPA dust extraction vacuum is a complete revolution for the construction industry.

Less than 1% of dust ever hits the filter.

Vacuum stays strong, optimizing dust collection.



190 CFM OF MAX POWER

With revolutionary multi-stage cyclonic filtration technology, the iQ426HEPA is able to intercept large sized dust particles to protect your filter. A clean filter means the iQ426HEPA continues to run strong with powerful suction.



OSHA COMPLIANT FOR 7" GRINDERS

THE 190CFM surpasses the OSHA requirement to have 25CFM per inch of cutting wheel.



14' ANTI-STATIC HOSE

Extend your reach on the job site with the 14' anti-static hose. Both ends of the hose conveniently interlock, allowing for clean and easy storage.

Changing the industry one innovative tool at a time.



4 STAGE FILTRATION SYSTEM

2 stage cyclonic and a 4 stage filtration system:

- 1st stage - The primary cyclone picks up the largest sized dust particles.
- 2nd stage - The 6 secondary cyclones then pick up any medium to small sized dust particles.
- 3rd stage - Particles down to 0.5 μm are captured by the Durabond filter.
- 4th stage - The HEPA filter captures 99.97% of all particles down to 0.3 μm .



iQ SMART POWER MANAGEMENT

In addition to the auto start feature, the iQ426HEPA intelligently distributes power between the tool and the dust extractor, automatically giving your tool additional power when it needs it. This minimizes tripped circuit breakers and maximizes work performance.



CART & ACCESSORIES

The heavy duty cart designed with industrial grade steel, provides protection and durability for the iQ426HEPA while maximizing job site maneuverability. The iQ426HEPA cart includes integrated accessory rack with nozzles and adapters to meet your dust collection demands.



7 CYCLONES

The iQ426HEPA boasts 7 cyclones - one main cyclone, followed by 6 surrounding cyclones. The cyclones and a clean filter is what gives the iQ426HEPA its power.



HEPA FILTER

The iQ426HEPA uses a certified HEPA filter capturing 99.97% of dust at .3 μm .



DUST CONTAINMENT

The iQ426HEPA utilizes a 10 gallon/50 pound dust containment tub with optional heavy duty dust collection bags with convenient zip tie closure, making dust disposal easy, efficient and safe.



Changing the industry one innovative tool at a time.

INNOVATION. It's who we are.

“Outstanding company that makes outstanding products!”- Dennis Foy, Foy

iQ PROMISE

At iQ Power Tools, we take extreme pride in our products as well as our customer's experience with those products. That experience includes such aspects as customer service, repair, and more.

The iQ team brings years of combined experiences, ranging from contractors and artists to engineers and military service men. Our extensive expertise enables us to accurately anticipate customer requests, be proactive, and deliver necessary service quickly and efficiently.

Our reputation is hinged on our commitment to excellent customer service and unparalleled attention to detail. Our products and systems are specifically designed to handle the unique needs of the construction industry.

We promise to continuously strive for perfection with our customer's needs at the core of our innovation. We will continue to improve upon our products and services to better support our customers. You are the reason we continue to push the envelope and create new and unique tools for our industry.



Quality Guarantee




1 Year Manufacturer Warranty.



Dedicated Service Centers

A close-up photograph of a light-colored, porous rock surface, possibly a piece of silica. The rock has a rough, crystalline texture with many small pits and irregularities. A dark shadow is cast on the left side of the rock, highlighting its three-dimensional shape. The background is a soft, out-of-focus grey.

SILICA AWARENESS



”Our goal is to see the construction industry 100% dust free. We aim to achieve that goal through education and the development of professional tools and technology to eliminate silica dust from job sites.” - Paul Guth, iQ President

WE KNOW DUST.

UNDERSTANDING SILICA

$50 \mu\text{g SiO}_2/\text{m}^3$



KNOW THE STANDARD

The new rule requires employers to use engineering controls to limit worker exposure, develop a written exposure control plan, and train workers on silica risks, among other requirements.

OSHA has set the exposure limit to 50 micrograms of respirable crystalline silica per cubic meter of air or, $50 \mu\text{g SiO}_2/\text{m}^3$, over an eight-hour time weighted average (TWA).

'Permissible Exposure Limit' is the legal limit established by OSHA for worker exposure to silica. In simple terms, how much dust a worker is legally allowed to breathe over an eight hour period. The PEL is determined by three factors: Air, Dust and Time.

KNOW THE HAZARD

Silica is Quartz, and is found naturally in almost all rock, sand, soil, brick and concrete products.

Respirable crystalline silica particles penetrate deep into the lungs causing lung disease and other health hazards.

Silica exposure remains a serious threat to nearly 2 million U.S. workers, including more than 100,000 workers in high risk jobs such as abrasive blasting, foundry work, stone-cutting, rock drilling, quarry work and tunnelling.

SILICOSIS & COPDs

Silicosis is a lung disease caused by breathing in tiny bits of silica. This silica dust can cause fluid build-up and scar tissue in the lungs that cuts down your ability to breathe. This can lead to lung scarring and cough, weight loss, and fatigue.

There are three types of silicosis:

Acute - Chronic - 10 Accelerated - quick onset of to 30 years occurs within cough, weight after exposure 10 years of loss, and and can affect high-level fatigue after upper lungs exposure. inhaling silica and sometimes cause extensive scarring.


Chronic Obstructive Pulmonary Disease (COPD), which includes chronic bronchitis and emphysema, is a long-term lung disease that makes it hard to breathe. The disease affects millions of Americans and is the third leading cause of disease-related death in the U.S. *

*Data from the American Lung Association



Changing the industry one innovative tool at a time.

UNDERSTANDING THE REGULATION




KNOW YOUR EXPOSURE

Air monitoring uses a battery-operated vacuum attached to an operator's shirt collar, collecting air samples right where the operator breathes.

You need to do air monitoring to learn what your exposure levels are. This is an inexpensive and easy process for contractors. Once you learn your exposure levels, you can decide what options are best-suited to control silica exposure on your job sites.

Time Weighted Average (TWA) is used to calculate a workers daily exposure to a hazardous substance averaged to an 8-hour workday. OSHA lets us average the exposure over an 8-hour day. This averaging allows us to vary the activities a person performs to help keep them in a safe air environment during their workday.



KNOW YOUR OPTIONS

The Hierarchy of Controls is a system used to minimize or eliminate exposure to hazards.

Understand your options, including tools, work practices and educational resources for controlling silica exposure on your job sites. That's why the solution must start with education. Use this page and the resources available to educate yourself and your workers about silica.

TAKING ACTION



We are passionate about bringing silica awareness to our industry. For over 20 years we have been educating others on the dangers of silica. Now we are taking things a step further. IQ Power Tools is now partnering with the American Lung Association to raise awareness of the dangers of silica dust through a new educational initiative, "Understanding Silicosis."

This relationship is aimed at connecting technology, education, research, and experts to develop impactful resources to improve overall awareness and the options available to create a safe work environment. We hope to develop even more strategic partnerships with several of the leading construction industry associations in the very near future to continue to bring awareness to the construction industry.

The American Lung Association is the leading organization working to save lives by improving lung health and preventing lung disease, through research, education and advocacy. The work of the American Lung Association is focused on four strategic imperatives: to defeat lung cancer; to improve the air we breathe; to reduce the burden of lung disease on individuals and their families; and to eliminate tobacco use and tobacco-related diseases.

THE DUSTLESS SOLUTION

INTEGRATED DUST CONTROL



VACUUM SYSTEM

iQ's patented dust collection technology begins with an integrated vacuum system that starts automatically with each saw. Eliminate slurry, wet-cutting, and dust cleanup.



FILTER SYSTEM



OSHA COMPLIANT


Silica is an important topic in the construction industry. OSHA has passed a new rule which reduced the permissible exposure limit (PEL) to 50 micrograms of respirable crystalline silica per cubic meter of air ($\mu\text{g}/\text{m}^3$), averaged over an 8-hour day.

The new rule requires employers to use engineering controls to limit worker exposure, develop a written exposure control plan, and train workers on silica risks, among other requirements.



Here at iQ, we make professional tools for contractors to reduce the risk of silica exposure to their workers. We have done the testing on our tools to confirm that they are meeting the new PEL. We offer white paper testing on all our tools that can be implemented into your company's written exposure control plan.

Visit our website iqpowertools.com/silica-dust/ for information about silica dust, the OSHA PEL, and how to stay compliant.



Changing the industry one innovative tool at a time.



The dust captured from each cut passes through a multi-stage filtration system which minimizes wear on the filter. iQ saws feature the Quick-Spin® filter for easy cleaning.



DUST CONTAINMENT

With integrated dust containment, cleanup and recycling are easy. Empty the dust tray just once a day. iQ Saws are tested to meet the new OSHA Silica Standard and capture up to 99.5% of hazardous silica dust.

GLOBALLY CERTIFIED

CERTIFICATIONS

We are committed to creating a safer and more efficient construction industry by eliminating silica dust. We have designed our tools to meet certifications around the world. We have designed our tools to meet CE, CSA, RCM, and TNO standards.

TNO (The Netherlands Organization for Applied Scientific Research) is a major player in a growing international network comprised of leading scientific institutes, companies with ambitious development profiles, universities and other partners in knowledge. The knowledge TNO develops, integrates, makes applicable and puts into practice will only have value if we can use it to have a real social and economic impact.

TNO has certified the iQ Power Tools line of tools with its cyclonic filtration system to allow the operator to work for up to 8 consecutive hours in a day cutting ceramic tile and natural stone.

TNO innovation for life



iQMS362i



iQ360XT



iQTS244



CE Certification
Europe



CSA Standards
North America



RCM Compliance
Australia

WHAT'S NEW AT iQ



**HARD MATERIAL
2 BLADE**

**MAKE 4000+
CUTS**

**10" QDRIVE
BLADE**

**DIAMOND EDGE
BLADE**

**254MM
10" TURBO BLADE
DIAMOND EDGE**





**EXPERIENCE OUR NEW
AUGMENTED REALITY**



iQ PRODUCT LIST

iQ TOOLS & PARTS

MODEL NUMBER

DESCRIPTION

iQ426HEPA® Cyclonic Dust Extractor

iQ426HEPA	190CFM Cyclonic Dust Extractor with HEPA Filtration. Includes cart, accessory rack, and dust collection bags with zip ties (3-pack).
0426-25011-02	iQ426HEPA Anti-static Vacuum Hose 14ft/4.2m

iQMS362i® Masonry Saw System

iQMS362i	16.5" Masonry Saw with integrated dust control system. Includes 16.5" Arrayed Diamond QT combo blade (\$249.00 value).
----------	--

iQ360® Series Masonry Saw System

iQ360XT	14" Masonry Saw with integrated dust control system. Includes 14" diamond blade (\$99.00 value).
iQ3x-RT	iQ360® Rolling Table
iQ3-SC	iQ360 Smart Cart

iQ228CYCLONE® Dry Cut Tile Saw System

iQ228CYCLONE	7" Dry-Cut Tile Saw with integrated dust control system. Includes 7" Q-Drive Combo Cut Blade (\$59 value).
0228-25600-01	iQ228CYCLONE® Miter Attachment Accessory

iQTS244® Dry Cut Tile Saw System

iQTS244	SOLD AS A SET	10" Dry-Cut Tile Saw with integrated dust control system. Includes 10" Q-Drive Combo Cut Blade (\$99 value).
iQTS-XS		
0244-50001-01		iQTS244® X-Stand
0244-50002-01		iQTS244® Extension Table Accessory
0244-50003-01		iQTS244® Miter Attachment Accessory
		iQTS244® Vacuum Port Hose Kit

iQ2000® Series System

iQ2003S	iQ Dust Collection Vacuum 3hp/220v Single Phase 1700CFM
iQ2005S	iQ Dust Collection Vacuum 5hp/220v Single Phase 2500CFM
iQ2007T	iQ Dust Collection Vacuum 7.5hp/480v Three Phase
iQ2013G	4000CFM iQ Dust Collection Vacuum 13hp Honda Gas
	4000CFM
iQT20	iQ 20" Saw Dust Collection Table
2000-25002-01	iQ2000® System Hose Minder

Vacuum Filter Kits

0426-25001-01	Replacement Vacuum Filter Kit, 8 x 6 Durabond Filter
0426-25002-	Replacement HEPA Filter Kit, 10 x 5 HEPA Filter
01 0360-	iQ360® Replacement Vacuum Filter Kit
25001-01 0244-	iQTS2® 44/ iQMS362 Replacement Vacuum Filter
25001-01	Kit iQ2000® Filter Element Assembly, Double Bags
2000-67001-01	Each iQ2000® Filter Complete Set of 32 Double Bag
2000-67001-01	Filters

iQ GEAR & ACCESSORIES**MODEL NUMBER****DESCRIPTION****iQ Safety Gear**

0140-70005-01	iQ Earmuff, Hearing Protection
0140-70001-01	iQ Safety Glasses, ECO, Clear, HC & AF
0140-70002-01	iQ Safety Glasses, ECO, Tint, HC & AF
0140-25006-01	iQ PPE Set. (1 Clear Glasses, 1 Tinted Glasses, 1 Earmuff, 1 Tool Bag)

iQ Accessories

iQPDS00100-MS	8" Professional Dressing Stone- Masonry Materials
iQPDS00100-TS	8" Professional Dressing Stone- Tile Materials
0362-90094-01	iQ Saw Cover for the iQTS244 and iQMS362
iQDHP00100	Diamond Hand Polishing Pad 50 Grit
iQ3X-DB	iQMS362 Series Dust Blocker Set
0426-50002-01	iQ426HEPA Dust Collection Bags with zip-tie, 12-Pack
0360-00030-01	iQ360 Series Dust collection Tub Liners, 5-Pack
2000-27001-01	iQ2000 System Heavy Duty Dust Tray Liner, Each

iQ Silica Resources

0304-25006-01	Silica Display Stand Kit with iQ Case
---------------	---------------------------------------

iQ DIAMOND BLADES**MODEL NUMBER****DESCRIPTION****7" Blades**

TLD10-060P-QD-Combo	7" Q-Drive Combination Blade
TLD10-060P-QD-HardMat	7" Q-Drive Hard Material Blade

10" Blades

TLD10-060P-QD-Combo	10" Q-Drive Combination Blade
TLD10-060P-QD-HardMat	10" Q-Drive Hard Material Blade
TLD10-006P-QD-MB1	10" Q-Drive Soft Material Blade

14" Blades

MAS14-125AG	14" Gold Laser Welded Blade
MAS14-125AP	14" Platinum Blade
MAS14-125AP-QT	14" Platinum Blade Silent Core

16.5" Blades

MASQX16-125-QD-KP	16.5" Q-Drive Arrayed Segmented Combination Blade with Silent Core
MASQX16-125-QD-HM1	16.5" Q-Drive Arrayed Segmented Hard Brick Blade with Silent Core
MASQX16-125-QD-HM2	16.5" Q-Drive Arrayed Segmented Hard Paver Blade with Silent Core
PRCX16-090-QD-HM	16.5" Q-Drive Porcelain Blade with Flange
MASQX16-125-QD-HM3	16.5" Q-Drive Arrayed Segmented Super Hard Material Blade with Silent
MASQX16-118-QD-MX	Core 16.5" Q-Drive M-Segment Super Abrasive Material Blade



POWER TOOLS[®]

PO BOX 7449
MORENO VALLEY, CA 92552

CUSTOMER SERVICE
888-274-7744

iQ Power Tools is not responsible for
typographical errors. Printed in the USA.

***Join the
revolution.***

#warondust

